

Rozmiar opony (Inch)	Typ bieżnika	Rozmiar felgi	Ciężar opony (kg)	Średnica opony ±2% (INCH)	Max. Szerokość opony (INCH)	Max. Obciążenie opony na osi skrętnej (kg)	Max. Obciążenie opony na osi nie skrętnej (kg)	Max. Obciążenie opony przy prędkości (6 km/h)	Max. Obciążenie opony przy prędkości (10 km/h)
21X8-9	D	6.00-9	34.6	20.7	7.5	2500	3245	3245	2950
23X9-10	D	7.00-10	44.2	22.8	8.3	3000	3894	3894	3540
22X10-12	D	7.00-12	39.0	21.6	9.4	3500	4543	4543	4130
22X12-12	D	9.00-12	47.0	21.6	11.4	4000	5192	5192	4720
27X10-12	D	8.00-12	65.0	26.2	9.4	3810	4945	4945	4496
300-15	D	8.00-15	124.0	33.1	11.3	5545	7197	7197	6543
750-15	D	6.00-15	74.0	30.9	7.8	3500	4543	4543	4130
10.00-20 7.5	D	7.50-20	168.0	40.9	10.3	6000	7260	7260	6600
14.00-24	D	10.00-24	424.0	53.5	15	11000	13310	13310	12100
14.00-25	D	10.00-25	417.0	53.5	15	11000	13310	13310	12100
16.00-25	D	11.25-25	620.0	58.3	16.9	13000	15730	15730	14300
17.50-25	D	14.00-25	515.0	52.6	17.3	8000	9680	9680	8800
18.00-25	D	13.00-25	860.0	63.8	19.7	15000	18150	18150	16500
6.00-9	D1A	4.00-9	24.9	21.2	6	1352	1755	1755	1595
6.50-10	D1A	5.00-10	32.4	22.8	6.5	1777	2307	2307	2097
28X9-15	D1A	7.00-15	58.0	27.8	8	2550	3310	3310	3009
14.00-24	D1A	10.00-24	409.0	53.5	15	9350	11314	11314	10285
14.00-25	D1A	10.00-25	407.0	53.5	15	9350	11314	11314	10285
26.5-25	D1A	22.00-25	1386.0	67.3	25.4	21250	25713	25713	23375
14.00-24	D2A	10.00-24	390.0	53.5	15	8250	9983	9983	9075
16.00-25	D2A	11.25-25	595.0	58.3	16.9	8500	10285	10285	9350
17.5-25	D1A	14.00-25	492.0	52.6	17.3	8000	9680	9680	8800
17.5-25	D2A	14.00-25	492.0	52.6	17.3	7200	8712	8712	7920
20.5-25	D1A	17.00-25	750.9	58.7	20.5	9000	10890	10890	9900
20.5-25	D2A	17.00-25	750.9	58.7	20.5	8100	9801	9801	8910
23.5-25	D1A	19.5-25	1030.0	63.8	23.6	10000	12100	12100	11000
23.5-25	D2A	19.5-25	1030.0	63.8	23.6	9000	10890	10890	9900
26.5-25	D1A	22.00-25	1370.0	67.3	25.4	16875	20419	20419	18563
26.5-25	D2A	22.00-25	1370.0	67.3	25.4	18750	22688	22688	20625
29.5-25	D1A	25.00-25	1770.0	72.4	29.7	25000	30250	30250	27500
29.5-25	D2A	25.00-25	1770.0	72.4	29.7	22500	27225	27225	24750
35/65-33	D2A	30.00-33	2490.0	80.7	34.6	28000	33880	33880	30800
5.00-8	E	3.00-8	15.3	17.5	5.3	1181	1533	1533	1394
18X7-8	E	4.33-8	19.4	17.5	6.5	1818	2360	2360	2145
6.00-9	E	4.00-9	29.0	21.2	6.1	1590	2064	2064	1876
218-9	E	6.00-9	40.0	20.7	7.5	2500	3245	3245	2950
6.50-10	E	5.00-10	35.0	22.8	6.7	2090	2713	2713	2466
23X9-10	E	7.00-10	46.0	22.8	8.3	3000	3894	3894	3540
7.00-12	E	5.00-12	47.5	26.1	7	2500	3245	3245	2950
8.25-15	E	6.50-15	92.0	33	8.3	4500	5841	5841	5310
28X9-15	E	7.00-15	63.0	28.1	8.4	3000	3894	3894	3540
10.00-20 7.5	E	7.50-20	164.0	40.9	10.3	6000	7260	7260	6600
11.00-20	E	7.50-20	192.0	42.9	11	6500	7865	7865	7150
31X10-20	F	7.00-20	67.1	31.1	9.4	3500	1444	1444	1312
15-20	F	11.00-20	180.2	38.2	14.6	7000	1444	1444	1312
33X12-20	F	8.00-20	84.5	33	11.4	3750	3012	3012	2738
30X10-18	F2A	7.00-18	59.1	30.5	10.4	3000	3894	3894	3540
33X12-20	F2A	8.00-20	84.5	33	11.4	3750	1897	1597	1725
15-20	F2A	11.00-20	170.2	38.2	14.6	5250	1897	1897	1725
18-20	F1A	14.00-20	290.4	42.6	18	6800	3025	3025	2750
18-20	F2A	14.00-20	290.4	42.6	18	6000	2269	2269	2063
13.00-24	F2A	9.00-24	293.0	53	13	5625	6806	6806	6188
17.5-25	F1A	14.00-25	468.0	52.6	17.3	8000	9680	9680	8800
17.5-25	F2A	14.00-25	468.0	52.6	17.3	7200	8712	8712	7920
20.5-25	F1A	17.00-25	700.9	58.7	20.5	9000	10890	10890	9900
20.5-25	F2A	17.00-25	700.9	58.7	20.5	8100	9801	9801	8910
23.5-25	F1A	19.5-25	980.0	63.8	23.6	10000	12100	12100	11000

23.5-25	F2A	19.5-25	980.0	63.8	23.6	9000	10890	10890	9900
5.00-8	H	3.00-8	15.8	17.5	5.3	1181	1533	1533	1394
6.00-9	H	4.00-9	27.0	21.3	6.3	1590	2064	2064	1876
6.50-10	H	5.00-10	36.0	22.6	6.9	2090	2713	2713	2466
7.00-12	H	5.00-12	46.6	26	7.3	2500	3245	3245	2950
300-15	H	8.00-15	120.0	33.1	11.3	5545	7197	7197	6543
300-15	H1A	8.00-15	116.0	33.1	11.3	4713	6117	6117	5561
8.25-15	H	6.50-15	91.0	33.1	8.7	4500	5841	5841	5310
28X9-15	H	7.00-15	62.1	28	8.5	3000	3894	3594	3540
12.00-24	H	8.50-24	270.3	48.8	11.9	7500	9075	9075	8250
14.00-24	H	10.00-24	437.5	55.1	14.8	11000	13310	13310	12100
16.00-25	H	11.25-25	598.6	59.8	16.7	13000	15730	15730	14300
18.00-25	H	13.00-25	951.4	66.1	19.7	15000	18150	18150	16500
5.00-8	J1A	3.00-8	14.9	17.5	4.8	1004	1303	1303	1185
6.00-9	J1A	4.00-9	26.6	21.2	6	1352	1755	1755	1595
6.50-10	J1A	5.00-10	34.0	22.8	6.5	1777	2307	2307	2097
7.00-12	J1A	5.00-12	44.0	26.1	7	2125	2758	2758	2508
8.25-15	J1A	6.50-15	87.0	33	8.3	3825	4965	4965	4514
28X9-15	J1A	7.00-15	62.0	28.1	8.4	2550	3310	3310	3009
6.00-9	J1A	4.00-9	21.0	21.2	6	1590	2064	2064	1876
6.00-9	J2A	4.00-9	21.0	21.2	6	1193	1549	1549	1408
6.50-10	J1A	5.00-10	31.0	22.8	6.5	2090	2713	2713	2466
6.50-10	J2A	5.00-10	31.0	22.8	6.5	1568	2035	2035	1850
7.00-12	J1A	5.00-12	45.0	26.1	7	2500	3245	3245	2950
7.00-12	J2A	5.00-12	45.0	26.1	7	1875	2434	2434	2213
8.25-15	J1A	6.50-15	85.1	33	8.3	3825	4965	4965	4514
8.25-15	J2A	6.50-15	85.1	33	8.3	3375	4381	4381	3983
7.50-16	P	6.00-16	90.9	31.9	8.7	3318	4307	4307	3915
8.25-20	P	6.50-20	125.0	37.3	9	4000	4840	4840	4400
9.00-20	P	7.00-20	168.2	39.8	9.3	5500	6655	6655	6050
12.00-20	P	8.50-20	260.3	44.9	11.6	7000	8470	8470	7700
18.00-25	P	13.00-25	815.9	62.6	18.9	15000	18150	18150	16500
26.5-25	P	22.00-25	1521.8	68.9	26.5	25000	30250	30250	27500
13X3.5-5	R	3.50-5	6.0	12.6	3.5	818	1062	1062	965
5.00-5	R	3.00-5	10.3	15.1	4.5	863	1120	1120	1018
4.00-8	R	3.00-8	10.4	16.3	3.9	863	1120	1120	1018
5.00-8	R	3.00-8	14.0	17.5	4.7	1181	1533	1533	1394
15X4.5-8	R	3.00-8	10.0	15.4	4.7	909	1180	1180	1073
16X6-8	R	4.25-8	14.0	16.1	5.9	1181	1533	1533	1394
16X5-9	R	3.00-9	11.0	16.2	5	1181	1533	1533	1394
19X5.5-9	R	4.00-9	20.0	19.2	5.5	1590	2064	2064	1876
18X8-12	R	6.00-12	20.0	18	8	3500	4543	4543	4130
22X10-12	R	7.00-12	41.0	21.6	9.4	3500	4543	4543	4130
22X13-15	R	10.00-15	49.0	21.6	13	4000	5192	5192	4720
22X10-16	R	7.00-16	31.5	22	10	4000	5192	5192	4720
15X4.5-8	S	3.00-8	8.8	15.4	4.7	909	1180	1180	1073
18X7-8	S	4.33-8	18.5	17.5	6.5	1818	2360	2360	2145
6.00-9	S	4.00-9	25.2	21.7	5.5	1590	2064	2064	1876
23X9-10	S	7.00-10	44.0	22.8	8.3	3000	3894	3894	3540
7.00-12	S	5.00-12	45.0	25.3	7	2500	3245	3245	2950
23X10-12	S	7.00-12	48.6	23	10	3770	4893	4893	4449
10.00-20 7.5	S	7.50-20	155.5	40.5	9.4	6000	7260	7260	6600
4.00-8	U	3.00-8	10.0	16.3	3.9	863	1120	1120	1018
5.00-8	U	3.00-8	14.0	17.5	4.8	1181	1533	1533	1394
15X4.5-8	U	3.00-8	10.0	15.4	4.7	909	1180	1180	1073
18X7-8	U	4.33-8	19.5	17.5	6.5	1818	2360	2360	2145
6.00-9	U	4.00-9	26.0	21.2	5.5	1590	2064	2064	1876
6.50-10	U	5.00-10	33.0	22.8	6.3	2090	2713	2713	2466
200/50-10	U	6.50-10	22.5	17.7	7.6	1900	2466	2466	2242
4.50-12	U	3.00-12	18.2	21.6	6.8	1460	1895	1895	1723
8.25-12	U	5.00-12	57.8	28.1	7.5	3409	4425	4425	4023
250-15	U	7.00-15	74.0	29	8.7	4000	5192	5192	4720

6.00-15	U	4.00-15	42.7	27.47	6.5	2181	2831	2831	2574
7.00-15	U	5.50-15	56.5	29.6	7.1	3000	3894	3894	3540
8.25-15	U	6.50-15	87.0	33	8.3	4500	5841	5841	5310
28X9-15	U	7.00-15	60.0	28.1	8.4	3000	3894	3894	3540
28X12.5-15	U	9.75-15	91.0	28.5	11.38	5000	6490	6490	5900
355/65-15	U	9.75-15	156.2	33.1	14	6000	7788	7788	7080
7.50-16	U	6.00-16	76.5	31.5	8.3	3318	4307	4307	3915
900-16	U	7.00-16	107.0	35	8.7	4500	5841	5841	5310
8.25-20	U	6.50-20	115.1	38.6	8.1	4000	4840	4840	4400
9.00-20	U	7.00-20	132.1	39.8	9.3	5500	6655	6655	6050
10.00-20 8"	U	8.00-20	164.0	40.9	10.4	6000	7260	7260	6600
11.00-20	U	7.50-20	193.0	42.9	10.9	6500	7865	7865	7150
11.00-20	U	8.00-20	193.0	42.9	10.9	6500	7865	7865	7150
12.00-20	U	8.50-20	250.3	44.9	11.6	7000	8470	8470	7700
12.00-24	U	8.50-24	271.0	478	12.8	7500	9075	9075	8250
42X12-24	U	8.50-24	175.2	40.9	11.6	7500	9075	9075	8250
7.50-16	U1A	6.00-16	80.0	31.5	8.3	2820	3660	3660	3328
7.50-16	U2A	6.00-16	69.3	31.5	8.3	2489	3231	3231	2937

Max. Obciążenie opony przy prędkości (25 km/h)
2500
3000
3500
4000
3810
5545
3500
6000
11000
11000
13000
8000
15000
1352
1777
2550
9350
9350
21250
8250
8500
8800
7200
9000
8100
10000
9000
16875
18750
25000
22500
28000
1181
1818
1590
2500
2090
3000
2500
4500
3000
6600
6500
3500
7000
3750
3000
3750
5250
6800
6000
5625
8000
7200
9000
8100
10000

9000
1181
1590
2090
2500
5545
4713
4500
3000
7500
11000
13000
15000
1004
1352
1777
2125
3825
2550
1590
1193
2090
1568
2500
1875
3825
3375
3318
4000
5500
7000
15000
25000
818
863
863
1181
909
1181
1181
1590
3500
3500
4000
4000
909
1818
1590
3000
2500
3770
6000
863
1181
909
1818
1590
2090
1900
1460
3409
4000

2181
3000
4500
3000
5000
6000
3318
4500
4000
5500
6000
6500
6500
7000
7500
7500
2820
2489